



Everything's Bigger in Texas.

The COSMO Austin reflects the free-wheeling vibe of one of America's most livable cities. Sleek, cool and simple to assemble, the frame features a pleasingly minimalist aesthetic and with a 900 lbs weight limit, the COSMO Austin is strong enough to do the heavy lifting too – all this while maintaining the avantgarde design that made you fall in love with it in the first place.

KEY PRODUCT FEATURES

- Single-person assembly in just a few minutes
- Head Up and Foot Up
- Wireless Remote Control
- Child Lock
- Pre-set Flat Button
- 2 pre-defined Memory Positions
- Emergency Lowering
- Free-fall Design
- Zero clearance
- 900 lbs Weight Limit
- 10-Year Limited Warranty

Available sizes:

Twin XL, Queen, King, Cal King
(other sizes on request)


Contact Headquarters

LOGICDATA Electronic & Software Entwicklungs GmbH
Wirtschaftspark 18, 8530 Deutschlandsberg, office.at@logicdata.net

North America

LOGICDATA North America Inc., 13617 Woodlawn Hills Dr NE,
Cedar Springs, MI 49319, USA, office.na@logicdata.net





Technical data

Input voltage	100-240 VAC 3A
Rated input current	2.2 A
Standby power consumption	1.8 W
Ambient conditions (operation)	+5 °C to +40 °C at max. 68% relative air humidity (non-condensing), up to an altitude of 2,000 m
Ambient conditions (transport/storage)	-25 °C to +40 °C at max. 68% relative air humidity (non-condensing). +40 °C to 60 °C at max. 32% relative air humidity (non-condensing). Temperatures of more than 40 °C for periods not exceeding 10h. Product must be acclimatised to acceptable operating conditions before assembly. Contact LOGICDATA for exact specifications.
Max. load (including mattress)*	900 lbs (454 kg)
Wireless working frequency	2,4 GHz
IP Protection (IEC 60529)	IP20
Applicable standards	RoHS 2011/65/EU FCC CFR 47 Part 15 Subpart B/C Dodd-Frank Wall Street Reform and Consumer Protection Act
Immunity to ESD interference (EN 61000-6-2)	Conducted discharge: level 4 8kV Air discharge: level 4 15kV

* Max. Load may vary depending on Input Voltage

Contact Headquarters

LOGICDATA Electronic & Software Entwicklungs GmbH
Wirtschaftspark 18, 8530 Deutschlandsberg, office.at@logicdata.net

North America

LOGICDATA North America Inc., 13617 Woodlawn Hills Dr NE,
Cedar Springs, MI 49319, USA, office.na@logicdata.net



www.logicdata.net



COSMO
Austin

Weights and Dimensions

BED SIZE	KING
Recommended Mattress Size (l x w)	2032 x 1930.4 mm (80 " x 76 ")
Bed Dimensions (l x w x h***)	2000 x 1885 x 357 mm (78.74 " x 74.21 " x 14.1 ")
Package dimensions (l x w x h)	1930 x 445 x 230 mm (76.00 " x 17.52 " x 9.05 ")
Product Weight	69.6 kg (153.5 lbs)
Package Weight	73.4 kg (161.4 lbs)
Order code	SFS-LIT-KNG-LDS-A

BED SIZE	CALIFORNIA KING
Recommended Mattress Size (l x w)	2134 x 1829 (84 " x 72 ")
Bed Dimensions (l x w x h***)	2100 x 1785 x 357 mm (82.70 " x 70.30 " x 14.1 ")
Package dimensions (l x w x h)	1930 x 445 x 230 mm (76.00 " x 17.52 " x 9.05 ")
Product Weight	68.4 kg (141.1 lbs)
Package Weight	71.4 kg (157.0 lbs)
Order code	SFS-LIT-CAL-LDS-A

BED SIZE	QUEEN
Recommended Mattress Size (l x w)	2032 x 1524 mm (80 " x 60 ")
Bed Dimensions (l x w x h***)	2000 x 1480 x 357 mm (78.74 " x 58.27 " x 14.1 ")
Package dimensions (l x w x h)	1930 x 445 x 230 mm (76.00 " x 17.52 " x 9.05 ")
Product Weight	60.7 kg (133.8 lbs)
Package Weight	64.9 kg (142.8 lbs)
Order code	SFS-LIT-QEN-LDS-A

BED SIZE	TWIN XL
Recommended Mattress Size (l x w)	2032 x 990,6 mm (80 " x 39 ")
Bed Dimensions (l x w x h***)	2000 x 945 x 357 mm (78.74 " x 37.20 " x 14.1 ")
Package dimensions (l x w x h)	1930 x 445 x 190 mm (76.00 " x 17.52 " x 7.48 ")
Product Weight	49.3 kg (108.6 lbs)
Package Weight	53.0 kg (116.6 lbs)
Order code	SFS-LIT-TXL-LDS-A

***Height measured from floor to Platform surface (flat position)

Contact Headquarters

LOGICDATA Electronic & Software Entwicklungs GmbH
Wirtschaftspark 18, 8530 Deutschlandsberg, office.at@logicdata.net

North America

LOGICDATA North America Inc., 13617 Woodlawn Hills Dr NE,
Cedar Springs, MI 49319, USA, office.na@logicdata.net



www.logicdata.net